


LinkFreely

MRA DC Control AC Solid State Relay

MRA-23D2

Input: 3-32VDC/15mA Output: 230VAC/2A



MRA-23D2 2A SSR DC AC Solid State Relay Din Control Board Mini Input:3V 5V 12V 24V Smart Automation Switch Relay Module Box

★★★★★ 4.8- 5 Reviews 27 orders

£4.06 ~~£4.80~~ -15%

+2.52 off Coupons For You [Get coupons](#)

Size: Green



Quantity:

1 + Additional 5% off (100 Pieces or more) 4788 Pieces available

Ships to [United Kingdom](#)

Shipping: £2.31

Estimated delivery on Jul 29

Estimated delivery on Jul 28 for orders over £5.34. Combined Delivery to United Kingdom

[Buy Now](#)

[Add to Cart](#)

♥ 1150

90-Day Buyer Protection Money back guarantee

Recommended For You



£3.40



£4.05



£45.18

LinkFreely Store

Store Categories

Solid State Relay

- RS Single Phase AC SSR
- Three phase SSR and Industrial Relay
- Single phase SSR
- Heat Sink
- RM single phase AC SSR
- TR 17.8mm Slim solid state relay

Ultra-thin Interface Relay Module

- electromagnetic contact relay
- solid state relay
- plug-in type relay module
- BSC ultra slim relay module
- bridge connector and other accessories
- photoelectrical coupler relay

switch

- micro switch
- photoelectric switch

Miniature relay and holder

- relay holder
- miniature relay

Relay

- PCB relay
- Protection Relay
- Timer Relay

terminals and connectors

- Insulated Cold Press Terminals
- SAK screw terminal block
- PT ST terminals and accessories
- UK Type Terminals
- TB TC TD terminals
- PCT terminal connector
- Terminal Strip Block
- Push in terminal block

Others

- Electrical Instruments
- cable ties
- cable glands
- cable assemblies

Others

-


Top Selling



£3.40 ★ 4.6 23 Sold



£45.18 ★ 5.0 18 Sold



£4.06 ★ 4.8 27 Sold



£4.06 ★ 4.8 27 Sold

LinkFreely Store

98.3% Positive Feedback 747 Followers

[Contact](#)


[Follow](#) [Visit Store](#)



DESCRIPTION CUSTOMER REVIEWS (5) SPECIFICATIONS Report Item

Trending Style Relays Recommended

Welcome to our store,thank you for your interests in our products.May you a happy shopping journey!



Product Features
 -6.2mm Ultra slim shrinkage volume ,which saves 80% installation space
 -Green LED working status indicator,clear port mark
 -Screw connection, alternative bridge connector for fast connection, convenient 35mm DIN rail compatible with international standard.
 Bridge connector is sold separately
 -Wide voltage range,input: 3-32VDC/4-32VDC, output up to 230VAC, 480VAC
 Internal input/output polarity protection circuit, no electrical wear, long electrical life

Product Specification

Model Number	MRA-23D2
Output Current	2A
Output Voltage Range	24-264VAC
Input Voltage Range	3-32VDC
Input Current	≤15mA
Max.Voltage Drop	≤1.2V
Operational Frequency	≤10Hz
Contact Material	TRICA
Input/Output Isolation Voltage	2.5kV(50Hz 1min)
Ambient Temperature	-20°C ~ +60°C,-4°F ~ 140°F
Operative Standard	IEC 60664,EN50178,IEC62103
Applicable Wire	(Rigidity)0.2-2.5mm2,(Flexibility) 0.2-2.5mm2,(AWG)24-14
Product Size	81X6.2X78mm / 3.2/0.2/3.1in
Net weight	Approx.30g/1.2oz
Packing	10pcs/box(85X70X85mm), 120pcs/CTN (530X155X105mm)

Detailed Product Features
Space Saving



Our ultra slim relay saves 80% of installation space than traditional relay,overall shrinkage volume is suitable for space-sensitive cabinets,automation equipment,electrical machinery and smart home.

£ 7.73
★ 5.0 15 Sold

LeadFree



£ 0.86
★ 5.0 16 Sold

View More >





6.2mm in width is thinner than iPhone 6S, combined with the light weight of below 25g, it provides the most economic and efficient solutions.

Time Saving

Convenient Connection


-Screw wiring method is compatible with wire 0.14-2.5mm².
It can also use the trendy plug-in type fast connector to achieve fast connection which saves 60% time, the blade-shaped fast connector is plugged in the V shaped port, done.



The pin-shaped fast connector is plugged in the cage-type lift port, then use the screw to fasten it.

Reliability

-Integrated novel and original design gives a solid and reliable relay.
The structure is effective to be dustproof, defending greasy dirt, anti-corrosive gas, shock resistant, suitable for harsh environment.
-Built-in protection circuit loop, freewheeling diode, polarity anti reverse connect protection diodes, and electric surge protection parts protect interface module and guarantee its reliability.



HIGH-QUALITY INTERNAL RELAY SAVES INSTALLATION TIME AND SPACE FOR YOU.

HIGH-QUALITY RELAY
NEWEST DIRECT PLUG-IN TECHNOLOGY
FAST, CONVENIENT AND RELIABLE

Inspiring INNOVATION
OMNI-DIRECTIONAL DESIGN

Inspiring innovation, omni-directional design, high quality internal relay saves installation time and space for you.
V-0 grade flame-retardant housing, contactless, no mechanical fatigue, long life, low heat, low loss, field effect transistor output.


-To be responsible for our products and customers, every relay goes through strict tests and inspection in our factory, including high-low temperature test, EMC electromagnetic compatibility, V-0 flame-retardance test, etc.
-MR relays comply with CE, IEC, ISO international standards.

QUALITY CONTROL


A NUMBER OF DETECTIONS TO GUARANTEE EVERY PRODUCT IS OF HIGH-QUALITY.

HIGH-LOW TEMPERATURE TEST
EMC ELECTRO-MAGNETIC COMPATIBILITY
V-0 FIREPROOFING TEST

Easy to Install and Disassembly




Marker strip
Z86
BUY NOW




Pin Bridge Connector
Red:ES-D1E880RD
Blue:ES-D1E880BU
BUY NOW



Fastener and Spacer
E/UK-1
E/UK-2
BUY NOW



Blade Bridge Connector
Red:HB-500RD
Blue:HB-500BU
BUY NOW



MRC Electromagnetic Contact Relay Module (output:6A/250VAC)										
Input	5VDC	12VDC	24VDC	24VAC	120VAC	230VAC	24VDC(5A)1NO	24VDC(6A)1NO		
SSR	MRA DC AC Solid State Relay (Input:3-32VDC,output:24-280VAC)				MRD DC DC Solid State Relay (Input:3-32VDC,Output:1-60VDC)					
Load	2A	3A	5A	5A-H	3A/480V	2A	4A	10A	10A(ACT)	
MRI Optocoupler Relay (100KHz)										
Input	3.3VDC	5VDC	12VDC	24VDC	230VAC	5V	Output:4-18VDC	24V	5V	Output:14-30VDC
	24TR/INV									

<p>\$12.34/PC BUY NOW</p> <p>DPA31 Protective Monitoring Relay</p>	<p>\$6.91/PC BUY NOW</p> <p>RP/MP PCB Solid State Relay</p>	<p>\$16.28/PC BUY NOW</p> <p>Micro Terminal Relay Module Group</p>	<p>\$3.75/PC BUY NOW</p> <p>Manufacture Coil Contact Relay 11 Pins</p>
<p>\$15.37/PC BUY NOW</p> <p>High Power 3 Phase Solid State Relay</p>	<p>\$15.87/PC BUY NOW</p> <p>Three Phase Solid State Relay</p>	<p>\$45.78/PC BUY NOW</p> <p>Dual Way Solid State Relay</p>	<p>\$188.32/PC BUY NOW</p> <p>3 Phase Analog Motor Power Controller</p>

Self-Help Shopping Guide

shipping



Service

Thanks for choosing apeman products. Please kindly help check goods condition before sign for package. If any question about goods, take clear photos or videos, contact us before opening a dispute, problems will be solved at first time.